

	Ref #	Hits	Search Text	DBs
1	S1	3178	track\$3 with message and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	S2	120	track\$3 with message and email and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	S3	391	track\$3 with message and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	S4	124	track\$3 with message and (e adj2 mail) and advertis\$5 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	S6	15	track\$3 with message and (e adj2 mail) and advertis\$5 and logo and brand\$2 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	S5	21	track\$3 with message and (e adj2 mail) and advertis\$5 and logo and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	S7	477	(track\$3 with message).ab. and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
8	S8	26	(track\$3 with message).ab. and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	S9	3	(track\$3 with message and forward\$5).ab. and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	S10	23	(track\$3 with (message or (e adj2 mail)) and forward\$5).ab. and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	S11	0	(track\$3 with (message or (e adj2 mail)) and forward\$5).ab. and reward\$4 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	S12	1	(track\$3 with (message or (e adj2 mail)) and forward\$5).ab. and commercial and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	S13	2	(track\$3 with (message or (e adj2 mail)) and forward\$5).ab. and (ad or advertisement) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
<i>considered</i>	14	S14 1	reward\$4 with recipient\$1 with forward\$4 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<i>✓</i>	15	S15 13	reward\$4 and (forward\$4 with (e adj mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	16	S16 0	reward\$4 same (forward\$4 same (e adj mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<i>✓</i>	17	S17 17	(reward\$4 or bonus or gift or money) same (forward\$4 same (e adj mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	18	S18 79	(reward\$4 or bonus or gift or money or point) same (forward\$4 same (e adj mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<i>✓</i>	19	S19 4	(reward\$4) same (bonus or gift or money or point) and (forward\$4 same (e adj mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
<i>omitted</i>	20	S20 4	(reward\$4) same (bonus or gift or money or point) and (forward\$4 same (e adj2 mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<i>n</i>	21	S21 17	(reward\$4) same (bonus or gift or money or point) and (forward\$4 same (message or (e adj2 mail))) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<i>n</i>	22	S22 26	(reward\$4) same (bonus\$3 or gift\$3 or money or point\$2) and (forward\$4 same (message or (e adj2 mail))) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
	23	S23 0	(reward\$4) same (bonus\$3 or gift\$3 or money or point\$2) same (forward\$4 same (message or (e adj2 mail))) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<i>n</i>	24	S24 6	reward\$4 same (forward\$4 same (message or (e adj2 mail))) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
25	S25	1066	(reward\$4) same (money or point\$2) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	S26	122	(reward\$4) same (money or point\$2) and advertisement\$2 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	S27	6	reward\$4 same forward\$4 same (message or (e adj2 mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	S29	7	reward\$4 same forward\$4 same (mail or message) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	S30	31	reward\$4 same forward\$4 and (message or mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	S31	2	"5937162".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	S32	68	(track\$3 and (message or (e adj2 mail)) and forward\$5).ab. and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
32	S33	0	(track\$3 and (message or (e adj2 mail)) and forward\$5).ab. and reward\$5 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	S34	0	"09635994".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	S35	5	"635994".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	S28	487	reward\$4 same forward\$4 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	S36	577	(reward\$4 or rebate) same forward\$4 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	S37	11	(reward\$4 or rebate) same forward\$4 and ((electronic adj mail) or (e adj2 mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	S38	1	(reward\$4 or rebate) same forward\$4 same ((electronic adj mail) or (e adj2 mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
39	S39	1	(reward\$4 or recompense or rebate) same forward\$4 same ((electronic adj mail) or (e adj2 mail)) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	S40	3	reward\$4 same forward\$4 same message same (recipient or reciever or user) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	S41	10	reward\$4 same forward\$4 same electron\$4 and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	S42	1	reward\$4 same forward\$4 same electron\$4 same message and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	S43	0	"rewarding the recipient" and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	S44	0	"rewarding adj4 recipient" and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
45	S45	0	rewarding adj4 recipient and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	S46	122	reward\$3 adj4 (recipient or customer) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	S47	0	reward\$3 adj4 (recipient or customer) and advertisement and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	S48	26199 029	reward\$3 adj4 (recipient or customer) same varies (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	S49	0	reward\$3 adj4 (recipient or customer) same varies and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	S50	0	reward\$3 adj4 (recipient or customer) same vary and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB



	Ref #	Hits	Search Text	DBs
51	S51	9	reward\$3 adj4 (recipient or customer) same (vary or range or differ or change) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	S52	6	reward\$3 adj4 (recipient or customer) same (vary or range or differ or change) and (points or money) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	S53	9	reward\$3 adj4 (recipient or customer) same (vary or range or differ or change) and (points or money or cash) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	S54	0	recipient same report same (forwarding adj history) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	S55	0	report same (forwarding adj history) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
56	S56	414	report same forwarding and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	S57	13	report same forwarding same (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	S58	8	report with forwarding same (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	S59	8	report with forwarding with (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	S60	0	advertisement same logo same brand same message and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	S61	0	advertisement same logo same message and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	S62	7	advertisement same message and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	S63	2312	advertisement same (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Ref #	Hits	Search Text	DBs
64	S64	333	advertis\$6 and (e adj2 mail) and logo and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	S65	190	advertis\$6 same logo and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	S66	144	advertis\$6 same logo and brand and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	S68	0	advertis\$6 same logo same brand same (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	S67	9	advertis\$6 same logo same brand and (e adj2 mail) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	S69	4	advertis\$6 same logo same brand and ((e adj2 mail) same advertis\$6) and (@pd < "20000327" or @ad < "20000327" or @prad < "20000327")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	S70	5	"019159".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	S71	0	"10019159".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB